Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S62	25	("20010009544" "20020094820" "20020173317 " "6351647")".PN"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 17:02
S69	1231	((event subscription) with (control\$4 near3 (access\$3))) and ((wireless mobile cellular) near (network communication))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/01/04 17:04
S72	244	"455"/\$.ccls. and ((event subscription) with (control\$4 near3 (access\$3))) and ((wireless mobile cellular) near (network communication))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 17:05
S73	4	S72 and ((authenticat\$3 authoriz\$4 validat\$3 verify\$3 verificat\$4) near2 (token ticket credential cookie))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 17:07
S70	31	"380"/\$.ccls. and ((event subscription) with (control\$4 near3 (access\$3))) and ((wireless mobile cellular) near (network communication))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2008/01/04 17:08
S71	59	"726"/\$.ccls. and ((event subscription) with (control\$4 near3 (access\$3))) and ((wireless mobile cellular) near (network communication))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 17:53
S15	301	(event near2 (based relat\$3 depend\$3) with (service provider subscription notification)) and ((provid\$3 transm\$3 receiv\$3 send\$3 giv\$3 transfer\$3 obtain\$3) near2 (permission consent rights))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 18:03
S76	12	"726"/\$.ccls. and (event near2 (based relat\$3 depend\$3) with (service subscription notification)) and ((user subscriber customer member client) near2 (select\$3 decid\$3 agree\$4 choos\$3 choice) near2 (service event subscription))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 18:10
S74	497	(event near2 (based relat\$3 depend\$3) with (service subscription notification)) and ((user subscriber customer member client) near2 (select\$3 decid\$3 agree\$4 choos\$3 choice) near2 (service event subscription))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 18:10
S75	42	"455"/\$.ccls. and (event near2 (based relat\$3 depend\$3) with (service subscription notification)) and ((user subscriber customer member client) near2 (select\$3 decid\$3 agree\$4 choos\$3 choice) near2 (service event subscription))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 18:35

			<u>-</u>			
S77	113	"709"/\$.ccls. and (event near2 (based relat\$3 depend\$3) with (service subscription notification)) and ((user subscriber customer member client) near2 (select\$3 decid\$3 agree\$4 choos\$3 choice) near2 (service event subscription))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 19:10
S79	131	(event near (based accord\$4 related) with (access provid\$3 resource request)) and ((display (graphical adj interface) "GUI") with (provid\$3 receiv\$3 view\$3) with (event near3 (information data service subscription content)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 10:00
S78	2	(control\$4 near3 (access\$3 with (event))) and (event near (based accord\$4 related) with (access provid\$3 resource)) and ((display (graphical adj interface) "GUI") with (provid\$3 receiv\$3 view\$3) with (event near3 (information data service subscription content)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 10:00
S80	144	(event near (based accord\$4 related) with (access provid\$3 resource request)) and ((display (graphical adj interface) "GUI") with (provid\$3 receiv\$3 view\$3 present\$3 represent\$4) with (event near3 (information data service subscription content)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 10:01
S81	12	S80 and ((user subscriber customer member client) near3 (permit\$4 permission grant\$3 agree\$4 consent\$3 right) with ("GUI" (graphical adj interface) display) with (event ner3 (information data content resource)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 10:07
S85	140	"726"/\$.ccls. and ((user subscriber customer member client) near3 (permit\$4 permission grant\$3 agree\$4 consent\$3 right) with ("GUI" (graphical adj interface) display) with (event ner3 (information data content resource)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 10:11
S84	540	"709"/\$.ccls. and ((user subscriber customer member client) near3 (permit\$4 permission grant\$3 agree\$4 consent\$3 right) with ("GUI" (graphical adj interface) display) with (event ner3 (information data content resource)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 10:11
S82	5641	((user subscriber customer member client) near3 (permit\$4 permission grant\$3 agree\$4 consent\$3 right) with ("GUI" (graphical adj interface) display) with (event ner3 (information data content resource)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 10:11
S83	261	"455"/\$.ccls. and ((user subscriber customer member client) near3 (permit\$4 permission grant\$3 agree\$4 consent\$3 right) with ("GUI" (graphical adj interface) display) with (event ner3 (information data content resource)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 10:14
S87	13	"709"/\$.ccls. and (((user subscriber customer member client) near3 (permit\$4 permission grant\$3 agree\$4 consent\$3 right)) with ("GUI" (graphical adj interface) display\$3) with (event near3 (information data content resource)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 10:28

S89		(((user subscriber customer member client) near3 (permit\$4 permission grant\$3 agree\$4 consent\$3 right)) with ("GUI" (graphical adj interface) display\$3) with (information data content resource service subscription)) and (((mobile portable "PDA" user subscriber customer member client cellular) adj (phone device terminal station apparatus node)) with (creat\$3 generat\$3 produc\$3 computing calculat\$3 determin\$3) near3 (ticket token ((access authorization) adj (code value information)) certificate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 10:47
S94	96	"455"/\$.ccls. and (((mobile portable "PDA" user subscriber customer member client cellular) near (phone device terminal station apparatus node)) with (creat\$3 generat\$3 produc\$3 computing calculat\$3 determin\$3) near3 (ticket token ((access authorization) adj (code value information)) certificate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 10:51
S97	28	("6055429" "6104931").PN. OR ("6377810"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/09 11:17
S95	120	"726"/\$.ccls. and (((mobile portable "PDA" user subscriber customer member client cellular) near (phone device terminal station apparatus node)) with (creat\$3 generat\$3 produc\$3 computing calculat\$3 determin\$3) near3 (ticket token ((access authorization) adj (code value information)) certificate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2008/01/09 12:00
S91	198	(((user subscriber customer member client) near3 (permit\$4 permission grant\$3 agree\$4 consent\$3 right select)) with ("GUI" (graphical adj interface) display\$3) with ((information data content resource service subscription) near2 event))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 12:03
S10 0	156	(((transmit\$4 send\$3 receiv\$3 forward\$3) near3 (trigger)) with (location condition situation requirement location position)) same ((send\$3 transmit\$3 receiv\$3 forward\$3) near3 (request (access near information)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 12:32
S98	795	((((transmit\$4 send\$3 receiv\$3 forward\$3) near3 (trigger)) with (location condition situation requirement location position)) and ((send\$3 transmit\$3 receiv\$3 forward\$3) near3 (request (access near information)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 12:32
S99	46	S98 and (((user subscriber customer member client) near3 (permit\$4 permission grant\$3 agree\$4 consent\$3 right select)) with ("GUI" (graphical adj interface) display\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 12:53
S90	1330	(((mobile portable "PDA" user subscriber customer member client cellular) near (phone device terminal station apparatus node)) with (creat\$3 generat\$3 produc\$3 computing calculat\$3 determin\$3) near3 (ticket token ((access authorization) adj (code value information)) certificate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 12:58

S10 1	2684	(((mobile portable "PDA" user subscriber customer member client cellular) near (phone device terminal station apparatus node)) with (download\$3 near3 (program web\$page website link page)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 13:03
S10 2	67	(((mobile portable "PDA" user subscriber customer member client cellular) near (phone device terminal station apparatus node)) with (download\$3 near3 (program web\$page website link page))) same ((user subscriber customer client) with (select\$3 choos\$3 choos\$3) near3 (webpage web\$page site link page service subscription))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 13:12
S10 3	8	("20020178086" "20030068030" "20030149641" "20030208386" "20040059610" "20040264410" "20050190747" "20050282575").PN. OR ("7295838").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/09 13:26
S10 5	2279	(((service content subscription subscriber) near (provider server)) with (transmit\$3 send\$3 providing provide display\$3 view\$3 download\$3) with (webpage web\$page site link page) with (phone device terminal station apparatus node unit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 14:52
S10 4	32	(((service content subscription subscriber) adj (provider server)) with (transmit\$3 send\$3 providing provide display\$3 view\$3 download\$3) with (webpage web\$page site link page) with ((mobile portable "PDA" user subscriber customer member client cellular) near (phone device terminal station apparatus node))) and ((request\$3 access\$3) near3 (location position) with ((mobile portable "PDA" user subscriber customer member client cellular) near (phone device terminal station apparatus node)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/01/09 14:54
S10 7	245	S105 and ((request\$3 access\$3) with (location position) with ((service content subscription subscriber) near (provider server)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 14:56
S10 6	147	S105 and ((request\$3 access\$3) with (location position) with ((mobile portable "PDA" user subscriber customer member client cellular) near (phone device terminal station apparatus node)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 14:56
S96	106	"709"/\$.ccls. and (((mobile portable "PDA" user subscriber customer member client cellular) near (phone device terminal station apparatus node)) with (creat\$3 generat\$3 produc\$3 computing calculat\$3 determin\$3) near3 (ticket token ((access authorization) adj (code value information)) certificate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/10 09:14

			-			
L4	60	726/2,3,4,9,10,20,21.ccls. and (((mobile portable "PDA" user subscriber customer member client cellular) near (phone device terminal station apparatus node)) with (creat\$3 generat\$3 produc\$3 computing calculat\$3 determin\$3) near3 (ticket token ((access authorization) adj (code value information)) certificate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/10 09:15
L3	46	"709"/225,229,223.ccls. and (((mobile portable "PDA" user subscriber customer member client cellular) near (phone device terminal station apparatus node)) with (creat\$3 generat\$3 produc\$3 computing calculat\$3 determin\$3) near3 (ticket token ((access authorization) adj (code value information)) certificate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/10 09:15
L6		"380/255,270".ccls. and (((mobile portable "PDA" user subscriber customer member client cellular) near (phone device terminal station apparatus node)) with (creat\$3 generat\$3 produc\$3 computing calculat\$3 determin\$3) near3 (ticket token ((access authorization) adj (code value information)) certificate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/10 09:17
L5	86	713/150,168,172,182,185.ccls. and (((mobile portable "PDA" user subscriber customer member client cellular) near (phone device terminal station apparatus node)) with (creat\$3 generat\$3 produc\$3 computing calculat\$3 determin\$3) near3 (ticket token ((access authorization) adj (code value information)) certificate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/10 09:17
L8	30	455/410,411,456.1,457,404.2.ccls. and (((mobile portable "PDA" user subscriber customer member client cellular) near (phone device terminal station apparatus node)) with (creat\$3 generat\$3 produc\$3 computing calculat\$3 determin\$3) near3 (ticket token ((access authorization) adj (code value information)) certificate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/10 09:18
L7		"380/247".ccls. and (((mobile portable "PDA" user subscriber customer member client cellular) near (phone device terminal station apparatus node)) with (creat\$3 generat\$3 produc\$3 computing calculat\$3 determin\$3) near3 (ticket token ((access authorization) adj (code value information)) certificate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2008/01/10 09:18